



PRASA PROJECT



SELF INSPECTION SHEET

CONFIDENTIAL INFORMATION

This document and the information contemplated therein have to be considered as Confidential Information pursuant to the provisions of Clause 25 of the MSA, and treated as such.

APPLICATION REFERENCE

MOUNTING	DESCRIPTION	STATION	CAR TYPE						WORK INSTRUCTION	SAFETY?
			TC1	M4	M1	M2	M3	TC2		
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING M CAR	FT1140	X	1	1	1		PRA.FT1140.04	YES
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1				1	PRA.FT1140.05	YES
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	PRA.FT1140.05	YES
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	PRA.FT1140.05	YES
<input type="checkbox"/>										
<input type="checkbox"/>										
<input type="checkbox"/>										

REV	DATE	MODIFICATION CONTENT	RESPONSIBLE	NAME	DATE
7	2/11/2020	UPDATE OF AIR TIGHTNESS TEST TIME FROM 4 MIN TO 5 MIN. ADD PANTOGRAPH AIR TIGHTNESS.	APPROVER	GIVEN SILOWA	2/11/2020
			CHECKER	SIMON MOKOENA	2/11/2020
			COMPILER	COMFORT MALATI	2/11/2020
8	9/13/2021	ADDING GAUGE MEASUREMENT CHECK ON THE SI.	APPROVER	MAKOFANE LUCY	9/13/2021
			CHECKER	RATAU EDISON	9/13/2021
			COMPILER	TSAKANI KHOSA	9/13/2021
9	5/31/2022	pressure valve (APV) Isolation	APPROVER	MAKHURUPETJI THABANG	5/31/2022
			CHECKER	HAZEL MGIBA	5/31/2022
			COMPILER	RATAU EDISON	5/31/2021

TUE	CAR	OPERATOR NAME	DATE	SELF INSPECTION NUMBER	PAGES
T3222	M4	MATIMBA	09/05/24	SI.FT1140.52	01/08



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projet:
PRASA

SI.FT1140.52

Cat:

NCR:

Work Station

FT1140



Safety Related

I - Document and Instrument Control

I.1 - Documents control

Document	TC1	MI	MP	MS	IM	TC2	Revision	Remark	OK	NO	Signature/Date
PRA.FT1140.04					X						M/ 08/05/24
PRA.FT1140.05											
PRA.FT1140.05											

I.2 - Instruments Control - Monitoring and Measuring Instrument Control (Used for all Instrument with calibration needed)

Instruments description	Serial number	Calibration or Verification Validation Date	OK	NO	Signature/Date
Measuring TAPE	GIBTA 0276	26/10/23-26/10/24			
Vernier Caliper	GIBUR 0056	06/11/23-06/11/24			
Torque Wrench 320Nm	A9650027	21/12/23-21/12/24			
Torque Wrench 150Nm	D25623009	19/12/23-19/12/24			08/05/24
Torque Wrench 85Nm	D2511623	19/12/23-19/12/24			



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Proj:
PRASA

SI.FT1140.52

II - Self Inspection - Items to Check

II.1 - Items to Check

Item	Picture/Sketch	Description	Criteria/Record	OK	NO	Signature/Date								
01		Ensure that the average pressure valve (APV) is isolated by capping the two input pipes at the fittings installing the blanking fitting on the pipes highlighted		<input checked="" type="checkbox"/>		 08/05/24								
02		Check underframe pipe system Air tightness. Test performance according to WI PRA FT1130.15.	The test was performed and no leak was observed. Initial pressure (IP): 994 bar Final pressure (FP): 991 bar FP - IP = 003 bar APPROVAL CRITERIA: After 5 minutes the pressure cannot drops more than 0,2 bar	<input checked="" type="checkbox"/>		 08/05/24								
03		Movement performed at least 50m to shudder the car. And position on the leveled load cell, with wheels on the center.		<input checked="" type="checkbox"/>		 08/05/24								
04		Measurement Inspection was done with car on condition AW0 and the rail leveled. (The load cells system must be leveled and calibrated)	Calibration Validation Date 21/12/14	<input checked="" type="checkbox"/>		 08/05/24								
05		In case of the equipments not installed, equivalent weight of the item should be added in the same place to simulate the equipment. (Any simulated weight, add on pending list)	<table border="1"> <thead> <tr> <th>EQUIPMENT DESCRIPTION</th> <th>WEIGHT (kg)</th> </tr> </thead> <tbody> <tr> <td>garrafeira</td> <td>360</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table>	EQUIPMENT DESCRIPTION	WEIGHT (kg)	garrafeira	360					<input checked="" type="checkbox"/>		 08/05/24
EQUIPMENT DESCRIPTION	WEIGHT (kg)													
garrafeira	360													
06		The pressure difference between air spring on each bogie when raise the pressure was maintained < 0.3 bar.		<input checked="" type="checkbox"/>		 08/05/24								
07		Measuremet recorded with empty suspension and loaded are on conformity with tolerances of the project.		<input checked="" type="checkbox"/>		 08/05/24								
08		All leveling measurements are according to the reference. (Values out of reference must be recorded on "Description of defects")		<input checked="" type="checkbox"/>		 08/05/24								



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projat:
PRASA

SI.FT1140.52

Item	Picture/Sketch	Description	Criteria/Remark	Signature/Date
09		Check that the leveling rods are torqued and have torque marker.		 08/05/24
10		The difference of weight between the left and right wheels of each axis, must be $\leq 4\%$. (Verify on the T&C equipment if all arrows are in green).		 08/05/24
11		Remove the car, move back onto the load cells and repeat the step 09. Confirm if both are in the tolerance of $\leq 4\%$.		 08/05/24
12		1 - Record shim thickness used on rod. 2 - All screws were torqued and have torque marker.	THICKNESS (mm) I 0 II 0 III 0 IV 0	 08/05/24
13		Pivot fixation	1- M20 x 90 screws with application of torque according to PRA.FT1140.04/05	 08/05/24
14		FOR TC CARS F= Height of the center of Automatic coupler F = 895mm (+5/-10mm) (Using leveled rail)	TC CAB #1= _____ mm	N/A
15		FOR TC CARS Height of Eurobafsa Antenna = 205mm(+/-10mm) (Using leveled rail)	TC CAB #1= _____ mm	N/A
16		Check pantograph piping air tightness. Test performance according to WI PRA.FT1140.17.	The test was performed and no leak was observed -Roof piping connection fittings. -Roof piping connection fittings(Roof arch and door trimming)	N/A
17		Pantograph does not come in contact with the higher height gauge when passing through.	No Contact with Pantograph and Gauge -GO Contact with Pantograph and Gauge - NO GO	N/A
18		Car does not come into contact with the gauge.	No Contact with Car and Gauge -GO Contact with Car and Gauge - NO GO	 08/05/24



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022


Projct:
PRASA

SI.FT1140.52

DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

DESCRIPTION	TOLERANCE	LEFT SIDE						RIGHT SIDE						
		6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A'ii	/	/	/	/	/	/	/	/	/	/	/	A'i
AIR SPRING HEIGHT (FULL)	min 254 max 261	Aii					254 247	251 257						Ai
FLOOR COVERING HEIGHT	min 1096 max 1116	Eii												Ei
AIR SPRING PRESSURE	≤ 0.3 (Qi - Qi)	Cii					2.64	2.67						Ci
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D3	/	/	/	/	/	/	/	/	/	/	/	D1
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D4	/	/	/	/	/	/	/	/	/	/	/	D2
PIVOT VERTICAL GAP	min 25 max 32	Kii	/	/	/	/	/	/	/	/	/	/	/	Ki
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (Ai - Aj)	Jii	/	/	/	/	/	/	/	/	/	/	/	Ji
QTY OF TURNS OF LEVELLING ROD	N/A	Xii	/	/	/	/	/	/	/	/	/	/	/	Xi
SHIMS OF ANTI-ROLL BAR	N/A	Yii	/	/	/	/	1 1/2	1 1/2	/	/	/	/	/	Yi
DESCRIPTION	TOLERANCE		6	5	4	3	2	1	1	2	3	4	5	6
AIR SPRING HEIGHT (EMPTY)	N/A	A'iv	/	/	/	/	/	/	/	/	/	/	/	A'iv
AIR SPRING HEIGHT (FULL)	min 254 max 261	Aiii					257 261	265 257						Aiv
FLOOR COVERING HEIGHT	min 1096 max 1116	Eiii												Eiv
AIR SPRING PRESSURE	≤ 0.3 (Qiv - Qiv)	Ciii					2.84	2.78						Civ
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D5	/	/	/	/	/	/	/	/	/	/	/	D7
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D6	/	/	/	/	/	/	/	/	/	/	/	D8
PIVOT VERTICAL GAP	min 25 max 32	Kiii	/	/	/	/	/	/	/	/	/	/	/	Kiv
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (Aiv - Av)	Jiii	/	/	/	/	/	/	/	/	/	/	/	Jiv
QTY OF TURNS OF LEVELLING ROD	N/A	Xiii	/	/	/	/	1 1/2	1 1/2	/	/	/	/	/	Xiv
SHIMS OF ANTI-ROLL BAR	N/A	Yiii	/	/	/	/	/	/	/	/	/	/	/	Yiv

COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASURE AS BELOW		
GOOD	LOWER	HIGHER
✓	↓	↑
WEIGHT COMPENSATION		
EQUIPMENT		
WEIGHT		
EQUIPMENT		
WEIGHT		
SECONDARY MEASUREMENTS (ONLY TO CARS)		
AUTOMATIC COUPLER HEIGHT		
ANTENNA HEIGHT		





SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projct:
PRASA



SI.FT1140.52

DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

DESCRIPTION	TOLERANCE	END#1						END#2						
		LEFT SIDE						RIGHT SIDE						
		6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	A ⁱ
AIR SPRING HEIGHT (FULL)	mn 254 max 261	A ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	A ⁱ
FLOOR COVERING HEIGHT	mn 1096 max 1116	E ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	E ⁱ
AIR SPRING PRESSURE	≤ 0.3 (Q ⁱ - Q)	C ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	C ⁱ
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ₃	/	/	/	/	/	/	/	/	/	/	/	D ₁
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ₄	/	/	/	/	/	/	/	/	/	/	/	D ₂
PIVOT VERTICAL GAP	mn 25 max 32	K ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	K ⁱ
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (A ⁱ - A)	J ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	J ⁱ
QTY OF TURNS OF LEVELLING ROD	N/A	X ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	X ⁱ
SHIMS OF ANTI-ROLL BAR	N/A	Y ⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	Y ⁱ
DESCRIPTION	TOLERANCE	6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	A ^{iv}
AIR SPRING HEIGHT (FULL)	mn 254 max 261	A ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	A ^{iv}
FLOOR COVERING HEIGHT	mn 1096 max 1116	E ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	E ^{iv}
AIR SPRING PRESSURE	≤ 0.3 (Q ^v - Q ⁱⁱ)	C ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	C ^{iv}
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ₅	/	/	/	/	/	/	/	/	/	/	/	D ₇
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ₆	/	/	/	/	/	/	/	/	/	/	/	D ₈
PIVOT VERTICAL GAP	mn 25 max 32	K ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	K ^{iv}
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (A ^v - A ⁱⁱ)	J ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	J ^{iv}
QTY OF TURNS OF LEVELLING ROD	N/A	X ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	X ^{iv}
SHIMS OF ANTI-ROLL BAR	N/A	Y ⁱⁱⁱ	/	/	/	/	/	/	/	/	/	/	/	Y ^{iv}

COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASURE AS BELOW:

GOOD	LOWER	HIGHER
✓	↓	↑
WEIGHT COMPENSATION		
EQUIPMENT		
WEIGHT		
EQUIPMENT		
WEIGHT		
SECONDARY MEASUREMENTS (ONLY TC CARS)		
AUTOMATIC COUPLER HEIGHT		
ANTENNA HEIGHT		





SELF INSPECTION INDUSTRIAL QUALITY

Rev:09
Date:
5/31/2022

Proj:
PRASA

SI.FT1140.52

Table 1 - Reference Values and Measurement Tolerances for the Car Levelling.

ITEM	THEORETICAL VALUES											
	TCL CAR		M4 CAR		M1 CAR		M2 CAR		M3 CAR		TCL CAR	
	Toler.	TRM	MRI1	MRI2	MRI1	MRI2	MRI1	MRI2	MRI1	MRI2	Toler.	TRM
Pivot lateral stop gap difference [mm]	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4
Air Spring height [mm]	3,76	2,82	2,87	2,83	3,02	2,91	3,07	2,85	2,83	2,87	2,83	2,83
Air spring pressure at AM/O [Bar]	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁	255 ⁺⁰ ₋₁
Primary Suspension gap [mm]	$C_1 - C_2$	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.
	$C_{2P} - C_{2V}$	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.	0,3 Max.
	$D_1; D_2$	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁
	$D_3; D_4$	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁	35 ⁺⁰ ₋₁
Carbody floor height [mm]	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀	1106 ⁺⁰ ₋₁₀
Roller height [mm]	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁	850 ⁺⁰ ₋₁
Coupling End height [mm]	895 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	895 (Ref.)	760 (Ref.)
Pivot Vertical gap [mm]	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁	30 ⁺⁰ ₋₁



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Proj:
PRASA

SI.FT1140.52

Leveling report from Production (Final measurements after Levelling and Weighing fine)

References for secondary suspension empty

A'n Air spring height empty

References for secondary suspension full


- An Air spring height
- Bn Difference between measurement A'n and An
- En Floor covering height
- Cn Air spring pressure
- Dn Primary suspension
- Kn Pivot Vertical gap
- Jn Pivot Lateral stop gaps difference

Item	Reference (mm)	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
A'n	N/A	A'i 242	A'ii 243	A'ia 241	A'iv 242
An	254 to 261	Ai 256	Aii 256	Aia 258	Aiv 257
Bn = An - A'n	N/A	Bi 14	Bii 13	Bia 17	Biv 15
En	1106 ±10 mm	Ei 1110	Eii 1112	Eia 1108	Eiv 1113
Item	Reference (bar)	END#1		END#2	
Cn	Table 02 (*)	Ca 2.72	Ca 2.73	Cia 2.79	Civ 2.77
Cn - Cn+1	Difference ≤ 0,3	0,01		0,02	
Gauge serial number	N/A	G1305873	G1305873	G1305873	G1305873
Item	Reference (mm)	END#1		END#2	
Dn	Table 01 (*)	D1 46,07	D2 46,21	Ds 45,74	Dt 46,98
		D2 46,75	D4 45,91	Ds 45,94	Dt 45,61
Kn	25 to 45	37,34		32,77	
Jn	Difference ≤ 4	Ji 24,14	Jii 26,08	Jia 25,15	Jiv 26,77

(*) Reference, only include values, isn't approval criteria.

Table 01 D Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbox	TBin	Mb1	Mb1	Mb1	Mb2	Mb2	Mb1	Mb1	Mb1	Tbin	Tbox
D=	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}	35^{+12}_{-5}

Table 02 C Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbox	TBin	Mb1	Mb1	Mb1	Mb2	Mb2	Mb1	Mb1	Mb1	Tbin	Tbox
C=	3.76	2.82	2.87	2.83	3.02	2.91	3.07	2.85	2.83	2.87	2.83	3.76



Weighting report from Test and Commissioning (Final measurements after Levelling and Weighing fine)

