

**PRASA PROJECT**



# SELF INSPECTION SHEET

**CONFIDENTIAL INFORMATION**

This document and the information contemplated therein have to be considered as Confidential Information pursuant to the provisions of Clause 25 of the MSA, and treated as such.

**APPLICATION REFERENCE**

MOUNTING	DESCRIPTION	STATION	CAR TYPE						WORK INSTRUCTION	SAFETY ?		
			TC1	M4	M1	M2	M3	TC2				
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING M CAR	FT1140		1	1	1		✓	PRA.FT1140.04	YES	
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1						1	PRA.FT1140.05	YES
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	1	1	PRA.FT1140.05	YES
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	1	1	PRA.FT1140.05	YES
<input type="checkbox"/>												
<input type="checkbox"/>												
<input type="checkbox"/>												

REV	DATE	MODIFICATION CONTENT	RESPONSIBLE	NAME	DATE
7	2/11/2020	UPDATE OF AIR TIGHTNESS TEST TIME FROM 4 MIN TO 5 MIN. ADD PANTOGRAPH AIR TIGHTNESS.	APPROVER	GIVEN SILOWA	2/11/2020
			CHECKER	SIMON MOKOENA	2/11/2020
			COMPILER	COMFORT MALATI	2/11/2020
8	9/13/2021	ADDING GAUGE MEASUREMENT CHECK ON THE SI.	APPROVER	MAKOFANE LUCY	9/13/2021
			CHECKER	RATAU EDISON	9/13/2021
			COMPILER	TSAKANI KHOSA	9/13/2021
9	5/31/2022	pressure valve (APV) Isolation	APPROVER	MAKHURUPETJI THABANG	5/31/2022
			CHECKER	HAZEL MGIBA	5/31/2022
			COMPILER	RATAU EDISON	5/31/2021

TUE	CAR	OPERATOR NAME	DATE	SELF INSPECTION NUMBER	PAGES
IS 223	M3	B-Mo no	17/05/24	SI.FT1140.52	01/08



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Proj:  
PRASA

SI.FT1140.52

Car:

NCR:

Work Station

FT1140



Safety Related

## I - Document and Instrument Control

### 1.1 - Documents control

Document	Y01	M1	M2	M3	M4	Y02	Revisão	Remark	OK	NO	Signature/Date
PRA.FT1140.04											
PRA.FT1140.05				✓					✓		<i>[Signature]</i> 17/05/24
PRA.FT1140.05											

### 1.2 - Instruments Control - Monitoring and Measuring Instrument Control (Used for all instrument with calibration needed)

Instruments description	Serial number	Calibration or Verification Validity Date	OK	NO	Signature/Date
Measuring tape	CW137A 0276	26/10/23 - 26/10/24	✓		
Vernier Calliper	CW13UR 0056	26/10/23 - 26/10/24	✓		
Torque wrench 320NM	A 9650027	21/12/23 - 21/12/24	✓		<i>[Signature]</i> 17/05/24
Torque wrench 150NM	D 28622069	19/12/23 - 19/12/24	✓		
Torque wrench 35NM	D2S11028	19/12/23 - 19/12/24	✓		



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projat:  
PRASA

SI.FT1140.52

## II - Self Inspection - Items to Check

### II.1 - Items to Check

Item	Picture/Sketch	Description	Criteria/Record	OK	NO	REWORK	Signature/Date
01		Ensure that the average pressure valve (APV) is isolated by capping the two input pipes at the fittings installing the blanking fitting on the pipes highlighted		✓			 16/05/24
02		Check underframe pipe system Air tightness Test performance according to WI PRA.FT1130.15.	The test was performed and no leak was observed. Initial pressure (IP) 992 bar Final pressure (FP) 991 bar FP - IP = 0,01 bar APPROVAL CRITERIA: After 5 minutes the pressure cannot drops more than 0,2 bar	✓			 16/05/24
03		Movement performed at least 50m to shudder the car. And position on the leveled load cell, with wheels on the center.		✓			 17/05/24
04		Measurement inspection was done with car on condition AWD and the rail levelled. (The load cell's system must be levelled and calibrated)	Calibration Validation Date _ / _ / _	✓			 17/05/24
05		In case of the equipments not installed, equivalent weight of the item should be added in the same place to simulate the equipment. (Any simulated weight, add on pending list)	EQUIPMENT DESCRIPTION <i>Wingman</i> WEIGHT (kg) 360	✓			 17/05/24
06		The pressure difference between air spring on each bogie when raise the pressure was maintained < 0.3 bar.		✓			 17/05/24
07		Measurement recorded with empty suspension and loaded are on conformity with tolerances of the project		✓			 17/05/24
08		All leveling measurements are according to the reference. (Values out of reference must be recorded on "Description of defects")		✓			 17/05/24



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projet:  
PRASA

SI.FT1140.52

Item	Picture/Sketch	Description	Criteria/Record	OK	Signature
09		Check that the leveling rods are torqued and have torque marker.		✓	 17/05/24
10		The difference of weight between the left and right wheels of each axis, must be $\leq 4\%$ . (Verify on the T&C equipment if all arrows are in green)		✓	 17/05/24
11		Remove the car, move back onto the load cells and repeat the step 09. Confirm if both are in the tolerance of $\leq 4\%$ .		✓	 17/05/24
12		1 - Record shims thickness used on rod. 2 - All screws were torqued and have torque marker.	THICKNESS (mm) I II III IV	✓	 17/05/24
13		Pivot fixation	1- M20 x 80 screws with application of torque according to PRA FT1140.04 / 05	✓	 17/05/24
14		FOR TC CARS F= Height of the center of Automatic coupler F = 895mm (+5/-10mm) (Using levelled rail)	TC CAB #1= _____ mm		N/A
15		FOR TC CARS Height of Eurobalse Antenna = 205mm(+/-10mm) (Using levelled rail)	TC CAB #1= _____ mm		N/A
16		Check pantograph piping air tightness Test performance according to WI PRA FT1140.17.	The test was performed and no leak was observed. -Roof piping connection fittings. -Room piping connection fittings(Roof arch and door trimming)		N/A
17		Pantograph does not come in contact with the higher height gauge when passing through.	No Contact with Pantograph and Gauge -GO Contact with Pantograph and Gauge - NO GO		N/A
18		Car does not come into contact with the gauge.	No Contact with Car and Gauge -GO Contact with Car and Gauge - NO GO	✓	 17/05/24



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022


Projct:  
PRASA

SI.FT1140.52

## DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

DESCRIPTION	TOLERANCE	LEFT SIDE						RIGHT SIDE							
		6	5	4	3	2	1	1	2	3	4	5	6		
AIR SPRING HEIGHT (EMPTY)	N/A	A <sup>ii</sup>	/	/	/	/	/	/	/	/	/	/	/	A <sup>i</sup>	
AIR SPRING HEIGHT (FULL)	min 254 max 261	A <sup>ii</sup>	/	/	/	/	255 254	255 254	256 256	/	/	/	/	A <sup>i</sup>	
FLOOR COVERING HEIGHT	min 1096 max 1116	E <sup>ii</sup>	/	/	/	/	1107 1102	1107 1102	1104 1104	/	/	/	/	E <sup>i</sup>	
AIR SPRING PRESSURE	± 0.3 (O1 - O)	C <sup>ii</sup>	/	/	/	/	2.72 2.52	2.72 2.52	2.72 2.74	/	/	/	/	C <sup>i</sup>	
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>3</sup>	/	/	/	/	/	/	/	/	/	/	/	D <sup>1</sup>	
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>4</sup>	/	/	/	/	/	/	/	/	/	/	/	D <sup>2</sup>	
PIVOT VERTICAL GAP	min 25 max 32	K <sup>ii</sup>	/	/	/	/	/	/	/	/	/	/	/	K <sup>i</sup>	
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (A1 - A)	J <sup>ii</sup>	/	/	/	/	/	/	/	/	/	/	/	J <sup>i</sup>	
QTY OF TURNS OF LEVELLING ROD	N/A	X <sup>ii</sup>	/	/	/	/	3/4 1	1/1	0 0	/	/	/	/	X <sup>i</sup>	
SHIMS OF ANTI-ROLL BAR	N/A	Y <sup>ii</sup>	/	/	/	/	/	/	/	/	/	/	/	Y <sup>i</sup>	
DESCRIPTION	TOLERANCE		6	5	4	3	2	1		1	2	3	4	5	6
AIR SPRING HEIGHT (EMPTY)	N/A	A <sup>iii</sup>	/	/	/	/	/	/	/	/	/	/	/	A <sup>iv</sup>	
AIR SPRING HEIGHT (FULL)	min 254 max 261	A <sup>iii</sup>	/	/	/	/	255 260	255 260	255 257	/	/	/	/	A <sup>iv</sup>	
FLOOR COVERING HEIGHT	min 1096 max 1116	E <sup>iii</sup>	/	/	/	/	1106 1111	1106 1111	1109 1110	/	/	/	/	E <sup>iv</sup>	
AIR SPRING PRESSURE	± 0.3 (Ov - Oa)	C <sup>iii</sup>	/	/	/	/	2.76 2.96	2.76 2.96	2.56 2.72	/	/	/	/	C <sup>iv</sup>	
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>5</sup>	/	/	/	/	/	/	/	/	/	/	/	D <sup>7</sup>	
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>6</sup>	/	/	/	/	/	/	/	/	/	/	/	D <sup>8</sup>	
PIVOT VERTICAL GAP	min 25 max 32	K <sup>iii</sup>	/	/	/	/	/	/	/	/	/	/	/	K <sup>iv</sup>	
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (Av - Ap)	J <sup>iii</sup>	/	/	/	/	/	/	/	/	/	/	/	J <sup>iv</sup>	
QTY OF TURNS OF LEVELLING ROD	N/A	X <sup>iii</sup>	/	/	/	/	0 1/6	1/6	1/6 0	/	/	/	/	X <sup>iv</sup>	
SHIMS OF ANTI-ROLL BAR	N/A	Y <sup>iii</sup>	/	/	/	/	/	/	/	/	/	/	/	Y <sup>iv</sup>	

COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASURE AS BELOW		
GOOD	LOWER	HIGHER
✓	↓	↑
WEIGHT COMPENSATION		
EQUIPMENT		
WEIGHT		
EQUIPMENT		
WEIGHT		
SECONDARY MEASUREMENTS (ONLY 10 CARS)		
AUTOMATIC COUPLER HEIGHT		
ANTENNA HEIGHT		





# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022


Projct:  
PRASA

SI.FT1140.52

## DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

DESCRIPTION	TOLERANCE	LEFT SIDE						RIGHT SIDE						
		6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A'ii	/	/	/	/	/	/	/	/	/	/	/	A'i
AIR SPRING HEIGHT (FULL)	mh 254 max 261	Aii	/	/	/	/	/	/	/	/	/	/	/	Ai
FLOOR COVERING HEIGHT	mh 1096 max 1116	Eii	/	/	/	/	/	/	/	/	/	/	/	Ei
AIR SPRING PRESSURE	≤ 0.3 (Qi - Q)	Cii	/	/	/	/	/	/	/	/	/	/	/	Ci
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D3	/	/	/	/	/	/	/	/	/	/	/	D1
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D4	/	/	/	/	/	/	/	/	/	/	/	D2
PIVOT VERTICAL GAP	mh 25 max 32	Kii	/	/	/	/	/	/	/	/	/	/	/	Ki
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (Ai - Aj)	Jii	/	/	/	/	/	/	/	/	/	/	/	Ji
QTY OF TURNS OF LEVELLING ROD	N/A	Xii	/	/	/	/	/	/	/	/	/	/	/	Xi
SHIMS OF ANTI-ROLL BAR	N/A	Yii	/	/	/	/	/	/	/	/	/	/	/	Yi
DESCRIPTION	TOLERANCE		6	5	4	3	2	1	1	2	3	4	5	6
AIR SPRING HEIGHT (EMPTY)	N/A	A'iii	/	/	/	/	/	/	/	/	/	/	/	A'iv
AIR SPRING HEIGHT (FULL)	mh 254 max 261	Aiii	/	/	/	/	/	/	/	/	/	/	/	Aiv
FLOOR COVERING HEIGHT	mh 1096 max 1116	Eiii	/	/	/	/	/	/	/	/	/	/	/	Eiv
AIR SPRING PRESSURE	≤ 0.3 (Qv - Qs)	Ciii	/	/	/	/	/	/	/	/	/	/	/	Civ
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D5	/	/	/	/	/	/	/	/	/	/	/	D7
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D6	/	/	/	/	/	/	/	/	/	/	/	D8
PIVOT VERTICAL GAP	mh 25 max 32	Kiii	/	/	/	/	/	/	/	/	/	/	/	Kiv
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (Av - As)	Jiii	/	/	/	/	/	/	/	/	/	/	/	Jiv
QTY OF TURNS OF LEVELLING ROD	N/A	Xiii	/	/	/	/	/	/	/	/	/	/	/	Xiv
SHIMS OF ANTI-ROLL BAR	N/A	Yiii	/	/	/	/	/	/	/	/	/	/	/	Yiv

COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASUREMENT AS BELOW		
GOOD	LOWER	HIGHER
✓	↓	↑
WEIGHT COMPENSATION		
EQUIPMENT		
WEIGHT		
EQUIPMENT		
WEIGHT		
SECONDARY MEASUREMENTS (ONLY TC CARS)		
AUTOMATIC COUPLER HEIGHT		
ANTENNA HEIGHT		





# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Proj:  
PRASA

SI.FT1140.52

Table 1 - Reference Values and Measurement Tolerances for the Car Levelling.

ITEM	THEORETICAL VALUES											
	T1 CAR		M4 CAR		M1 CAR		M2 CAR		M3 CAR		T2 CAR	
	TBext	TBint	MB1	MB2	MB1	MB2	MB1	MB2	MB1	MB2	TBext	TBint
Pivot lateral stop gaps difference [mm]	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4
Air Spring height [mm]	3,76	2,82	2,87	2,83	3,02	2,91	3,07	2,85	2,83	2,87	2,83	3,76
Air spring pressure at AWD [Bar]	3,76 (Ref.)	2,82 (Ref.)	2,87 (Ref.)	2,83 (Ref.)	3,02 (Ref.)	2,91 (Ref.)	3,07 (Ref.)	2,85 (Ref.)	2,83 (Ref.)	2,87 (Ref.)	2,83 (Ref.)	3,76 (Ref.)
Primary Suspension gaps [mm]	C <sub>1</sub> -C <sub>2</sub>	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.
	C <sub>3</sub> -C <sub>4</sub>	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.	0,3 Mbs.
	D <sub>1</sub> :D <sub>2</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>
	D <sub>3</sub> :D <sub>4</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>	35 <sup>+0,3</sup> <sub>-0,3</sub>
Carbody floor height [mm]	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>
Bolster height [mm]	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>	850 <sup>+3</sup> <sub>-3</sub>
Coupling End height [mm]	895 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	895 (Ref.)	760 (Ref.)
Pivot Vertical gap [mm]	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projct:  
PRASA

SI.FT1140.52

Leveling report from Production (Final measurements after Levelling and Weighing final)

References for secondary suspension empty

A'n Air spring height empty

References for secondary suspension full


- An Air spring height
- Bn Difference between measurement A'n and An
- En Floor covering height
- Cn Air spring pressure
- Dn Primary suspension
- Kn Pivot Vertical gap
- Jn Pivot Lateral stop gaps difference

Item	Reference [mm]	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
A'n	N/A	A'v 244	A'a 242	A'la 242	A'lv 243
An	254 to 261	Ai 257	Aii 256	Ail 255	Aiv 257
Bn = An - A'n	N/A	Bi 13	Bii 14	Bil 13	Biv 14
En	1108 ±10 mm	Ei 1105	Eii 1107	Eil 1107	Eiv 1110
Item	Reference [bar]	END#1		END#2	
Cn	Table 02 (*)	Ci 2.73	Cii 2.71	Cil 2.74	Civ 2.71
Cn - Cn+1	Diference ≤ 0,3	Ci - Cii 0,02		Cil - Civ 0,03	
Gauge serial number	N/A	91B05873	91B05873	91B05873	91B05873
Item	Reference [mm]	END#1		END#2	
Dn	Table 01 (*)	D1 45.18	D3 46.46	D5 45.66	D6 45.71
		D2 45.96	D4 45.47	D5 45.11	D7 45.16
Kn	25 to 45	K 35.57		Kn 39.25	
Jn	Diference ≤ 4	Ji 24.02	Jii 25.85	Jil 25.81	Jiv 24.71

(\*) Reference, only include values, isn't approval criteria.

Table 01 D Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbox	Tbin	Mb1	Mb1	Mb1	Mb2	Mb1	Mb1	Mb1	Mb1	Tbin	Tbox
D=	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$	$35^{+12}_{-5}$

Table 02 C Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbox	Tbin	Mb1	Mb1	Mb1	Mb2	Mb1	Mb1	Mb1	Mb1	Tbin	Tbox
C=	3.76	2.82	2.87	2.83	3.02	2.91	3.07	2.85	2.83	2.87	2.83	3.76



Weighting report from Test and Commissioning (Final measurements after Levelling and Weighing final)



